

Classification of cells of incubated leucocytes Part I



FIG. 1a Amaeboid type




FIG. 1b Balloon type



FIG. 1c Un-changed type




FIG. 1d Carnival type



FIG. 1e Caterpillar type



FIG. 1f Caterpillar type



FIG. 1g Caterpillar type

2045028-06700T




FIG. 2a TLRC+pseud
0 time




FIG. 2b TLRC+pseud
24h




FIG. 2c MLRC+pseud
0 time



FIG. 2d MLRC+pseud
24h




FIG. 2e BLRC+pseud
0 time



FIG. 2f BLRC+pseud
24h

Incubated leucytes (il) and pseudomonas sp.




FIG. 3a

TLRC + pseud sp + il
0 time




FIG. 3b

TLRC + pseud sp + il
39h




FIG. 3c

MLRC + pseud sp + il
0 time




FIG. 3d

MLRC + pseud sp + il
39h




FIG. 3e

BLRC + pseud sp + il
0 time



FIG. 3f

BLRC + pseud sp + il
39h

202290" 8205400T




FIG. 3g

TLRC + pseud + Ab
0 time




FIG. 3h

TLRC + pseud + Ab
28~28h




FIG. 3i

MLRC + pseud + Ab
0 time




FIG. 3j

MLRC + pseud + Ab
28~28h




FIG. 3k

BLRC + pseud + Ab
0 time





FIG. 3l

BLRC + pseud + Ab
28~28h


0 Time



BLRC only


FIG. 4a

9 days inc.




Black shells and
Black sesames

FIG. 4b



BLRC + healthy
person's WC

FIG. 4c




Living BLRC

FIG. 4d




LLRBC only




Case A

FIG. 5a



Case B

FIG. 5d



Case C

FIG. 5g

LLRbc + LWBC




FIG. 5b




FIG. 5e

<21 days incubate>
LLRbc: Lower Layer Red Blood Cells
LWBC: Living White Blood Cells
FWBC: Frozen White Blood Cells

LLRbc + FWBC




FIG. 5c




FIG. 5f





FIG. 5h


Newly discovered function of leucocyte

20 days incubation of fat tissue



Fat tissue only


FIG. 6a



Fat tissue +
FWC(Frozen white blood cell)


FIG. 6b

20 days incubation of muscle tissue



Muscle tissue only

FIG. 6c



Muscle tissue +
FWC(Frozen white blood cell)

FIG. 6d


202290-82054007

Dialysis

ULRBC and LLRBC (♀,52y) in incubator

<4 days after>


—ULRBC—



control


FIG. 7a

—LLRBC—




control

FIG. 7b




+ healthy person's FWBC

FIG. 7c




+ healthy person's FWBC

FIG. 7d



+ patient's LWBC

FIG. 7e



+ patient's LWBC

FIG. 7f


202290-82054007

C-hepatitis

ULRBC and LLRBC (♂, 60y) in incubator


<5 days after>

—ULRBC—



+ healthy person's FWBC

FIG. 8a




+ patient's FWBC

FIG. 8b



+ healthy person's LWBC

FIG. 8c




+ patient's LWBC

FIG. 8d


Interaction between leucocyte and erythrocyte
C-Hepatitis 5 days inc. WN 60 ♂

TLRC




+ healthy person's FWC

FIG. 9a




+ patient's FWC

FIG. 9b



+ healthy person's LWC


FIG. 9c



+ patient's LWC


FIG. 9d

BLRC




+ healthy person's FWC

FIG. 9e




+ patient's FWC

FIG. 9f



+ healthy person's LWC

FIG. 9g




+ patients LWC

FIG. 9h


Interaction between the leucocyte and erythrocyte
Auto-immune hepatitis T.S 83 ♀ 5 days inc.

TLRC




control

FIG. 10a




+ healthy person's FWC
Megalo WC+

FIG. 10b



+ healthy person's LWC
Megalo WC-
Black spot+


FIG. 10c



+ patient's LWC
Megalo WC++
Black spot++


FIG. 10d

BLRC




control

FIG. 10e




+ healthy person's FWC
Megalo WC-
Black spot-

FIG. 10f



+ healthy person's LWC
Megalo WC-
Black spot-

FIG. 10g



+ patient's LWC
Megalo WC++
Black spot+

FIG. 10h